



# CUTTING TOOLS & ABRASIVES





Since 2003, Advantiv have been supplying parts, providing multi skilled engineers and saving energy for clients across all commercial, industrial and manufacturing sectors. We service the UK nationwide, 24 hours a day, 7 days a week, 365 days a year. Our team is made up of experienced staff who know what's needed to provide the service your business expects.

From branches in Newbury and South Wales, Advantiv provide services split across 3 key areas:

- **Industrial MRO parts supply**
- **Engineering Site Services**
- **Energy Efficiency Solutions**

Our supply chain distributorships provide buyers with access to a wide range of MRO products at competitive prices. Our engineering team work with maintenance managers to solve problems and Energy Managers turn to Advantiv to drive down costs whilst complying with legislation.

It's all about understanding your needs, identifying a solution and working in partnership to help you solve that problem. Our aim is to make your investment in Advantiv contribute to your business by reducing your costs, increasing production up time and improving your efficiency.

#### HEAD OFFICE

Advantiv Limited, Unit 9 Kingfisher Court, Newbury,  
Berkshire RG14 5SJ  
Tel: 01635 246188 Email: [sales@advantiv.co.uk](mailto:sales@advantiv.co.uk)

#### SOUTH WALES OFFICE

Unit 9 Pant Industrial Estate, Merthyr Tydfil,  
Mid Glamorgan CF48 2SR  
Tel: 01685 708708 Email: [merthyr@advantiv.co.uk](mailto:merthyr@advantiv.co.uk)

#### WEST WALES OFFICE

8 Bridge Innovation Centre, Pembroke Science & Technology Park  
Pembroke Dock, Pembrokeshire SA72 6UN  
Tel: 01646 689211 Email: [wales@advantiv.co.uk](mailto:wales@advantiv.co.uk)



DELIVERING COST  
EFFECTIVE MATERIAL  
REMOVAL &  
CUTTING SOLUTIONS  
TO ALL MAJOR  
MANUFACTURING  
INDUSTRIES ACROSS  
THE UK.



CUTTING  
TOOLS &  
ABRASIVES

## TOP QUALITY - NO COMPROMISE

Our products meet the highest demands for precision and longevity with 100% quality control, providing industry solutions for **Grinding, Milling, Drilling, Threading, Sinking, Sawing** and **Hole Cutting**,

### LOCAL

Local sales support  
across the UK

### SUPPLY

Guaranteed UK distribution  
and supply chain

### RELIABLE

Successfully serving the UK  
market since the early 1970s

Designing and manufacturing the most comprehensive and advanced range of tungsten carbide burs, pneumatic tools and abrasives to serve the most demanding of industries.



## Essential Abrasives

Here at ATA Garryson we offer a comprehensive range of high quality abrasives ranging from flap discs, cutting discs and mounted points, designed for light to heavy material removal, finishing and preparation.



### Zirconium Flap Discs

The most popular flap disc due to the self-sharpening action of the cloth. Available from 36 - 120 grit.



### Quickchange Discs

The easy locking system gives a quick disc changeover. For general purpose use on ferrous and non-ferrous materials.



### Flap Wheels

Typical applications include cleaning weld surfaces, removing die lines, paint or rust removal and sanding. A workshop essential.



### Spirabands

Ideal for removing surface defects, machining marks, heavy oxidation, weld splatter and cleaning on all metals.



### Shop Rolls

Tough, durable abrasive cloth for a variety of manual cleaning, blending, de-burring and polishing.



### Hand Pads

Non-woven hand pads for manual cleaning - wet or dry, and can be cut to size. Removes imperfections without affecting the workpiece.



ATA Garryson and Karnasch Professional Tools, stands for an innovative and diverse product range and professional customer-oriented service. **Made for professionals.**





atagroup.com

## Carbide Burs and Air Tools

ATA Garryson Carbide Burs are renowned for their consistent high quality and resistance to heat and wear, and our complementary range of quality made Air Tools includes a large range of grinders and sanders.



**Double Cut Bur Set  
GGBKIT28**

5 piece set of the most commonly used shapes, designed to give efficient stock removal.



**Bolt Remover Kit  
GGBKIT41**

5 piece set designed for the removal of broken studs. Perfect for automotive repair and maintenance.



**Alloy Specific Bur Range  
GGBKIT39**

40% more effective material removal, precise control and improved finish on high strength alloys.



**Locksmith Set  
GGBKIT43**

Tailor made range developed for the locksmith industry and automotive repair shops.



**ATA Die Grinder  
SMD30LR**

Compact and light weight low vibration die grinder. Ergonomically designed moulded sleeve for improved operator comfort.



**ATA Small Angle Sander  
RAM Range**

Designed for operator comfort and can be used with burs and quickchange discs,



## Karnasch Professional Tools

Using the highest grade materials and coating technology available, KARNASCH high-performance tools are synonymous with quality in professional machining and manufacturing applications.

- Extensive range of high-end precision and industrial cutting tools, all available for immediate delivery.
- Machined using the highest grade tool materials, ensuring product safety, performance and extended tool life.

### PRECISION CUTTING TOOLS Milling - Drilling - Sinking - Grinding



One of the world's largest ranges of tools and sets for milling, drilling and countersinking available to order today. With superior quality end mills, spade drills, step drills, countersinks and a comprehensive stock of carbide burs available with tool coating variants BLUE-TEC and BLACK-TEC for optimal machining results.



### HOLE SAWS Diameters from 6mm to 305mm



Karnasch has over 1,100 hole saws in the range suitable for hand drills, pillar drilling, radial drilling, lathe or hole cutting machines.

### ANNULAR CUTTERS 8mm to 200mm diameters



The annular cutters, rail cutters and twist drills by Karnasch guarantee fast and precise drilling of the highest quality at competitive prices.

### MAGNETIC DRILLS Up to 110mm drilling depth



These machines are fitted with a premium quality German motor and a range of added features.

### CIRCULAR SAWS 15mm to 2250mm diameters



With the largest range worldwide, Karnasch Professional Tools has over 3,000 different circular saws.

Visit us at [atagroup.com](http://atagroup.com) and [karnasch.co.uk](http://karnasch.co.uk)

# DORMER PRAMET

## A LEADING GLOBAL SUPPLIER OF METAL CUTTING PRODUCTS AND SERVICES

Dormer Pramet is a leading manufacturer and supplier of metal cutting tools. Our global footprint includes more than 20 sales offices, production facilities on three continents and a highly-developed logistics network. With one of the industry's most complete and versatile product programs, we offer an unrivalled range of high quality, fit-for-purpose rotary and indexable tools from one single source.


## DRILLING

### HSS TiN Straight Shank Jobber Drill (A002)

- HSS TiN Coated Jobber Drill for general machining applications up to x4 diameter
- Titanium Nitride tip coating (2.0mm and above) not only minimises wear and increases tool life, but also allows increased performance
- Features self-centring split-point for excellent positional accuracy and hole quality
- Excellent performance in a wide range of materials
- Improved flute geometry for rapid chip evacuation
- Manufactured to BS328/DIN338 standards
- Available in sizes up to 16.0mm



### Benefits



**Marking**  
Readable, marked on the tool for easy identification.

**Helix**  
Optimised for greater stiffness across diameter range.

**Finish**  
Bright body improves performance on ductile materials.

**Ground Tool**  
All surfaces ground for consistent precision.


**Coating**  
Titanium nitride resists flank and crater wear and has low friction, promoting increased cutting speeds.

**Point Design**  
Efficient cutting action, reduced axial force, accurate centering.



Scan the QR code for more information on Dormer's A002 HSS Drill.

**Web Design**  
Optimised strength and rigidity, easy to feed.



**Flutes**  
Improved flute geometry for efficient chip form and evacuation.

### HSS TiN Straight Shank Jobber Drill Set (A095)

Code	Pieces	Size Range
A095201	19 Piece	1.0mm - 10.0mm x 0.5mm
A095204	25 Piece	1.0mm - 13.0mm x 0.5mm
A095206	29 Piece	1.0mm-13.0mm x 0.5mm +3.3mm, 4.2mm, 6.8mm, 10.2mm
A09518	29 Piece	1/16 inch -1/2 inch x 1/64 inch





### HSS Straight Shank Jobber Drill (A100)

- HSS Jobber Drill for general machining applications up to x4 diameter
- Silver ring for easy tool identification and your guarantee of Dormer quality
- 118° point angle
- Steam tempered finish for improved wear resistance
- Manufactured to BS328/DIN338 standards
- Available in sizes up to 20.0mm



### HSCo Straight Shank Heavy Duty Jobber Drill (A777)

- HSCo Heavy Duty Straight Shank Jobber Drills for machining higher tensile & tougher materials up to x4 diameter
- 135° split point geometry aids durability and improves hole size, finish and quality
- Bronze finish for easy tool identification
- Manufactured to DIN338 standards
- Available in sizes up to 16.0mm

### 5PC A002 TiN Coated Jobber Drill Set (A08910)

- Contains: A002 HSS TiN Coated Jobber Drills: 4.0, 5.0, 6.0, 8.0 & 10.0mm



### HSS Straight Shank Stub Drill (A120)

- HSS Stub Drill for general machining applications up to x2.5 diameter
- Ideal for use in portable drills, turrets and automatic lathes
- Features self-centring split-point for excellent positional accuracy and hole quality
- Manufactured to DIN1897 standards

## SUPERCUT

### Supercut High Performance, Original, Aerosol and Compound

Supercut, Dormer Pramet's cutting tool lubricant range which is suitable for all of your metal cutting applications. The lubricant is available in standard and chlorine free formulas and comes in fluid (bottle) aerosol (can) or compound (tin) form.

- Excellent cutting performance
- High viscosity formula, excellent adhesion to the tool
- Low odour solvent free formula
- Can be used on all metals
- Increased tool life, better surface finishes and closer tolerances
- Supercut High performance is chlorine free and compatible with water based process fluids
- Supercut Aerosol and Compound have a Chlorine, Sulphur and Phosphorous free formula

Supercut	Code
Original	2F7830400G
High Performance	2F7830340CF
Compound	2F7830450G
Aerosol	2F7830300ML



### HSS Straight Shank Long Series Drill (A110)

- HSS Long Series Drill for general machining applications up to x6 diameter
- Ideal for deeper hole drilling or where a slightly longer reach is required
- Steam tempered finish for improved wear resistance
- Manufactured to DIN340 standards





# DORMER PRAMET

## COUNTERSINKS

### HSS Countersink with Tri-Flat - 90°

- Designed to chamfer holes to accommodate standard fasteners with 90° heads
- 3 Flute, bright finish, ground all over
- Can also be used as a de-burring tool



Code
<b>Countersinks</b>
G1066.3
G1068.3
G10610.4
G10612.4
G10616.5
G10620.5
G10625.0
<b>Set</b>
G2364



### 6pc Countersink Set (G236)

- Contains 6 x G136 HSS 90° Countersinks
- Countersinks included = 6.3mm, 8.3mm, 10.4mm, 12.4mm, 16.5mm, 20.5mm

## BURRS

### Double Cut

- First choice for general machining
- Improves ease of control
- Increases metal removal rate
- Breaks swarf into small manageable pieces
- TiN coated burrs available as standard, aluminium geometry burrs available as standard



### 5 PC Solid Carbide Rotary Burr Set (P88001)

Contains 5 x Solid Carbide Burrs (9.6 x 6.0mm)  
 Styles Contained: Cylinder with End Cut (P803), Ball Nosed Cylinder (P805), Ball (P807), Oval (P809) & Pointed Tree (P813)

## BOLT REMOVAL KITS


Unique sets for the easy removal of broken bolts

**NEW**

Ordering Code	Description	Consists of
S-P102M6-M8	Bolt Removal Kit M6-M8	A1173.0, P1004.9, P1014.9, X106XM100NO2
S-P102M8-M10	Bolt Removal Kit M8-M10	A1174.0, P1006.4, P1016.4, X106XM100NO3
S-P102M10-M12	Bolt Removal Kit M10-M11	A1174.2, P1007.8, P1017.8, X106XM100NO3
S-P102M12-M14	Bolt Removal Kit M12-M14	A1176.0, P1009.3, P1019.3, X106XM100NO4
S-P102M14-M16	Bolt Removal Kit M14-M16	A1178.0, P10010.7, P10110.7, X106XM100NO5

This set contains:

- 1 Bolt Milling Burr (P100)
- 1 Bolt Centering Burr (P101)
- 1 Stub Drill HSS-Co (A117)
- 1 Screw Extractor (X106X)



Scan the QR code to watch how to safely remove a broken bolt.



## TAPPING

### High Quality HSS Hand Taps

- Versatile general purpose taps for threading blind or through holes in most materials
- Suitable for hand or machine use
- Manufactured to ISO529 standards

	E500 (M)	E513 (MF)	E515 (UNC)	E524 (UNF)	E547 (BSP G)
<b>Sizes available:</b>	M1-M56	M3-M50	1-64-2	0-80-1.1/2	1/8-2

All Dormer Hand Taps are available in either Taper, Second or Plug variants:

#### Ordering Hand Taps

NO1 = Taper



NO2 = Second



NO3 = Plug



NO6 = Set of 3 (NO1, NO2, NO3)

Available as a 3PC set, E500M3NO6



### 14PC HSS TiN Coated Jobber Drill & HSS Straight Flute Hand Tap Set (L115101)

- Contains 7 x E500 HSS ISO Hand Taps & equivalent A002 HSS TiN Coated Jobber Drills
- Taps included = M3, M4, M5, M6, M8, M10, M12
- Contains x7 E500-NO3 plug variant straight flute hand taps
- Drills included = 2.5, 3.3, 4.2, 5.0, 6.8, 8.5, 10.2

CUTTING  
TOOLS &  
ABRASIVES



## 8913 siacut Cutting Disks



### The professional abrasive for higher cutting power

The hard cutting discs of the 8913 siacut Series never fail to impress, with a high cutting power, low level of heat discolouration and reduced burring.

#### Features:

High cutting speed. Comfortable to use with little contact pressure. Long product life

#### Applications:

Cutting of pipes and profiles. Cutting of solid materials and bars. Cutting of sheets

Mfct part number	Size (mm)
0020.8716	76x1.0x10.00
0020.8718	100x1.0x16.00
0020.8720	115x1.0x22.23
0020.8721.01	115x1.6x22.23
0020.8722.01	115x2.5x22.23
0020.8724	125x1.0x22.23
0020.8725.01	125x1.6x22.23
0020.8726.01	125x2.5x22.23
0020.8730	230x1.8x22.33
0020.8731	230x2.0x22.33
0020.8732.01	230x2.5x22.33
0020.8733.01	230x3.0x22.33

## 8933 siagrind Grinding Disks



The hard grinding discs of the special 8933 siagrind series excel in a variety of metal applications and make for robust and efficient tools thanks to features such as high removal rates at low surface pressure and long life.

#### Features:

High performance for stock removal. Comfortable to use with little contact pressure. Long lifetime

#### Applications:

Welded seam preparation. Removing solid material

Mfct part number	Size (mm)
0020.8736	230x6.0x22.23
0020.8738.01	115x6.0x22.23
0020.8739.01	125x6.0x22.23
0020.8740.01	180x6.0x22.23
0020.8741.01	230x6.0x22.23

## 2824 siaflap Flap Discs



A universal abrasive product designed for the surface treatment of unalloyed or low-alloyed steels, the 2824 siaflap flap disc with zirconia corundum and robust cloth backing provides high stock removal rates and long life.

#### Applications:

Surface finishing, weld removal and preparation, deburring, smoothing and blending flaws

#### Features:

High performance due to zirconia alumina abrasive grit. Consistent surface quality until the abrasive is completely worn, lower vibration than grinding discs. For market-leading performance in steel applications.

Mfct part number	Size (mm)	Grit
0020.2651	115 x 22mm	40
0020.2653	115 x 22mm	60
0020.2655	115 x 22mm	80
0020.2677	115 x 22mm	120

0020.2657	125 x 22mm	40
0020.2659	125 x 22mm	60
0020.2661	125 x 22mm	80

## 4819 Zirconia Fibre Discs



### The specialist abrasive for unalloyed steels and non-ferrous metals

Specially designed for applications involving steel and non-ferrous metals, 4819 siaron 8 fibre discs achieve, among other things, high stock removal rates and have a long life.

#### Applications:

Weld preparation. Sanding down. Surface finishing. Deburring, smoothing and blending of flaws. Removing discolouration. Removal of rust

Mfct part number	Size (mm)	Grit
0785.2867.0024	100 x 16mm	24
0785.2867.0036	100 x 16mm	36
0785.2867.0040	100 x 16mm	40
0785.2867.0050	100 x 16mm	50
0785.2867.0060	100 x 16mm	60
0785.2867.0080	100 x 16mm	80
0785.2867.0100	100 x 16mm	100
0785.2867.0120	100 x 16mm	120

7120.5813.0024	115 x 22mm	24
7120.5813.0036	115 x 22mm	36
7120.5813.0040	115 x 22mm	40
7120.5813.0050	115 x 22mm	50
7120.5813.0060	115 x 22mm	60

7120.5813.0080	115 x 22mm	80
7120.5813.0100	115 x 22mm	100
7120.5813.0120	115 x 22mm	120

7340.2591.0024	125 x 22mm	24
7340.2591.0036	125 x 22mm	36
7340.2591.0040	125 x 22mm	40
7340.2591.0050	125 x 22mm	50
7340.2591.0060	125 x 22mm	60
7340.2591.0080	125 x 22mm	80
7340.2591.0100	125 x 22mm	100
7340.2591.0120	125 x 22mm	120

6810.2419.0024	180 x 22mm	24
6810.2419.0036	180 x 22mm	36
6810.2419.0040	180 x 22mm	40
6810.2419.0050	180 x 22mm	50
6810.2419.0060	180 x 22mm	60
6810.2419.0080	180 x 22mm	80
6810.2419.0100	180 x 22mm	100
6810.2419.0120	180 x 22mm	120

## 4570 siabite X Ceramic Fibre Discs



### The fibre disc for the coolest grinding with new and unique X-Technology

Thanks to innovative X-Technology, the 4570 siabite fibre disc brings you considerably cooler grinding with a long service life and a consistent cutting performance on stainless steel and mild steel. With new and unique X-Technology, an active cooling aid is applied directly to the top level, which enhances cooling and minimises discolouration

#### Applications:

Weld removal. Removal of scale and mill scale. Blending flaws. Removing discolouration

Mfct part number	Size (mm)	Grit
5369.8301.0036	100 x 16mm	36
5369.8301.0060	100 x 16mm	60
5369.8301.0080	100 x 16mm	80
5369.8301.0120	100 x 16mm	120

1737.3366.0036	115 x 22mm	36
1737.3366.0060	115 x 22mm	60
1737.3366.0080	115 x 22mm	80
1737.3366.0120	115 x 22mm	120

1935.3923.0036	125 x 22mm	36
1935.3923.0060	125 x 22mm	60
1935.3923.0080	125 x 22mm	80
1935.3923.0120	125 x 22mm	120

1426.9972.0036	100 x 16mm	36
1426.9972.0060	100 x 16mm	60
1426.9972.0080	100 x 16mm	80
1426.9972.0120	100 x 16mm	120







## 4581 siaramic X Lock Ceramic Fibre Discs



### The ceramic fibre disc for maximum performance on steel

The coarser grits of the 4581 siaramic series are developed for an extraordinarily high stock removal speed on unalloyed/low-alloyed steels. The long lifetime of the disc is an additional benefit of the shaped siaramic grain. Additionally, the ceramic fibre disc distinguishes through a consistent cut in finer grits on unalloyed/low-alloyed steels what results in a superb surface quality.

#### Applications:

Weld removal. Blending flaws. Removing discolouration. Removal of scale and mill scale

Mfct part number	Size (mm)	Grit
5598.5922.0036.01	100 x 16m	36+
5598.5922.0060.01	100 x 16m	60+
5598.5922.0080.01	100 x 16m	80+

6923.1272.0036.01	115 x 22mm	36+
6923.1272.0060.01	115 x 22mm	60+
6923.1272.0080.01	115 x 22mm	80+

7142.8050.0036.01	125 x 22mm	36+
7142.8050.0060.01	125 x 22mm	60+
7142.8050.0080.01	125 x 22mm	80+

1655.7593.0036.01	180 x 22mm	36+
1655.7593.0060.01	180 x 22mm	60+
1655.7593.0080.01	180 x 22mm	80+

## 4582 siaramic X Lock Ceramic Fibre Discs



### The ceramic fibre disc for maximum performance on stainless steel

The coarser grits of the 4582 siaramic series are developed for an extraordinarily high stock removal speed on stainless steel (thanks to the cooling aid) as well as unalloyed/low-alloyed steels. The long lifetime of the disc is an additional benefit of the shaped siaramic grain.

#### Features:

Cool cut. Long lifetime. Uniform cutting performance. Fine surface finish. X-LOCK compatible

#### Applications:

Weld removal. Blending flaws. Removing discolouration. Removal of scale and mill scale

Mfct part number	Size (mm)	Grit
5611.5474.0036.01	100 x 16m	36+
5611.5474.0060.01	100 x 16m	60+
5611.5474.0080.01	100 x 16m	80+
5611.5474.0120.01	100 x 16m	120+

6936.0824.0036.01	115 x 22mm	36+
6936.0824.0060.01	115 x 22mm	60+
6936.0824.0080.01	115 x 22mm	80+
6936.0824.0120.01	115 x 22mm	120+

7155.7602.0036.01	125 x 22mm	36+
7155.7602.0060.01	125 x 22mm	60+
7155.7602.0080.01	125 x 22mm	80+
7155.7602.0120.01	125 x 22mm	120+

1690.3366.0036.01	180 x 22mm	36+
1690.3366.0060.01	180 x 22mm	60+
1690.3366.0080.01	180 x 22mm	80+
1690.3366.0120.01	180 x 22mm	120+

## 2829 Zirconia Cloth File Belts



### The special belt sanding series for coarse dry sanding

The special 2829 zirconia series is ideal for unalloyed steels and non-ferrous metals in stationary belt sanding applications and in applications involving the use of powerfile sanders. It ensures an excellent finish without sacrificing such advantages as high stock removal rates, high edge stability or tear resistance.

Backing with very high stability and rigidity

Active additives with a cooling effect greatly reduce discolouration. Suitable for general use in dry and wet sanding applications

#### Applications:

Weld preparation. Removing discolouration. Sanding down. Surface finishing. Deburring. Smoothing and blending of flaws

Mfct part number	Size (mm)	Grit
7213.5249.0036	10 x 330mm	36
7213.5249.0040	10 x 330mm	40
7213.5249.0060	10 x 330mm	60
7213.5249.0080	10 x 330mm	80
7213.5249.0100	10 x 330mm	100
7213.5249.0120	10 x 330mm	120

0545.3697.0036	12 x 305mm	36
0545.3697.0040	12 x 305mm	40
0545.3697.0060	12 x 305mm	60
0545.3697.0080	12 x 305mm	80
0545.3697.0100	12 x 305mm	100
0545.3697.0120	12 x 305mm	120

3828.2548.0036	12 x 457mm	36
3828.2548.0040	12 x 457mm	40
3828.2548.0060	12 x 457mm	60
3828.2548.0080	12 x 457mm	80
3828.2548.0100	12 x 457mm	100
3828.2548.0120	12 x 457mm	120

7137.3854.0036	12 x 610mm	36
7137.3854.0040	12 x 610mm	40
7137.3854.0060	12 x 610mm	60
7137.3854.0080	12 x 610mm	80
7137.3854.0120	12 x 610mm	100
7137.3854.0120	12 x 610mm	120

## 2820 siamet Zirconia Spirabands



SIA 2820 Zirconia Spirabands are perfect for deburring and dressing of mild steel tubing and hard to reach areas. Featuring an X-wt Cloth/ Cotton backing and using active additives to help with grinding properties, the SIA 2820 Spiraband is a dynamic and adaptable abrasive

#### Features:

The abrasive used is Zirconia giving long life on steels and stainless steels

#### Applications:

Blending and shaping holes and grooves cut into materials to the correct shape & general deburring

Mfct part number	Size (mm)	Grit
6165.9712.0050	Ø 10/20mm (dia/width)	50
6165.9712.0060	Ø 10/20mm (dia/width)	60
6165.9712.0080	Ø 10/20mm (dia/width)	80

5476.2604.0050	Ø 15/30mm (dia/width)	50
5476.2604.0060	Ø 15/30mm (dia/width)	60
5549.6099.0080	Ø 15/30mm (dia/width)	80

1111.8190.0036	Ø 25/25mm (dia/width)	36
1111.8190.0050	Ø 25/25mm (dia/width)	50
1111.8190.0060	Ø 25/25mm (dia/width)	60
1111.8190.0080	Ø 25/25mm (dia/width)	80

5784.2604.0036	Ø 30/30mm (dia/width)	36
5784.2604.0050	Ø 30/30mm (dia/width)	50
5784.2604.0060	Ø 30/30mm (dia/width)	60
5784.2604.0080	Ø 30/30mm (dia/width)	80

6113.6717.0036	Ø 45/30mm (dia/width)	36
6208.6433.0050	Ø 45/30mm (dia/width)	50
6113.6717.0060	Ø 45/30mm (dia/width)	60
6208.6433.0080	Ø 45/30mm (dia/width)	80

1665.6836.0036	Ø 51/25mm (dia/width)	36
1665.6836.0050	Ø 51/25mm (dia/width)	50
1665.6836.0060	Ø 51/25mm (dia/width)	60
1665.6836.0080	Ø 51/25mm (dia/width)	80





## 2923 Cloth Spindle Mounted Flap Wheels



The dependable series for grinding of unalloyed and non-ferrous steel

As a cost-effective abrasive with a stable cloth backing, 2923 sialoX offers aggressive finish, good tear resistance and particularly long service life in a variety of applications including final grinding of unalloyed steel and non-ferrous metals



### Applications:

Wide range of applications. Highly flexible, ideal for hard to reach areas. Excellent price/performance ratio. Versatile all-round product with an attractive range of options. Universal product for all metals

Mfct part number	Size (mm)	Grit
0020.8274.01	Ø 20/10mm (dia/width)	40
0020.8275.01	Ø 20/10mm (dia/width)	60
0020.8276.01	Ø 20/10mm (dia/width)	80
0020.8277.01	Ø 20/10mm (dia/width)	120
0020.8278.01	Ø 20/10mm (dia/width)	150

0020.8299.01	Ø 30/15mm (dia/width)	40
0020.8300.01	Ø 30/15mm (dia/width)	60
0020.8301.01	Ø 30/15mm (dia/width)	80
0020.8302.01	Ø 30/15mm (dia/width)	120
0020.8303.01	Ø 30/15mm (dia/width)	150

0020.8309.01	Ø 40/20mm (dia/width)	40
0020.8310.01	Ø 40/20mm (dia/width)	60
0020.8311.01	Ø 40/20mm (dia/width)	80
0020.8312.01	Ø 40/20mm (dia/width)	120
0020.8313.01	Ø 40/20mm (dia/width)	150

0020.8324.01	Ø 50/25mm (dia/width)	40
0020.8325.01	Ø 50/25mm (dia/width)	60
0020.8326.01	Ø 50/25mm (dia/width)	80
0020.8327.01	Ø 50/25mm (dia/width)	120
0020.8328.01	Ø 50/25mm (dia/width)	150

0020.8334.01	Ø 60/15mm (dia/width)	40
0020.8335.01	Ø 60/15mm (dia/width)	60
0020.8336.01	Ø 60/15mm (dia/width)	80
0020.8337.01	Ø 60/15mm (dia/width)	120
0020.8338.01	Ø 60/15mm (dia/width)	150

0020.8344.01	Ø 60/30mm (dia/width)	40
0020.8345.01	Ø 60/30mm (dia/width)	60
0020.8346.01	Ø 60/30mm (dia/width)	80
0020.8347.01	Ø 60/30mm (dia/width)	120
0020.8348.01	Ø 60/30mm (dia/width)	150

## 1713 siawat Wet & Dry Sheet



For the highest-performance wet sanding materials

The 1713 siawat silicon carbide series makes all the difference when it comes to sanding coatings, impurities or

unevenness in edge zones and when fine sanding primer fillers, glass, composite

### Features:

High performance for stock removal with good finish. Long lifetime. Powerful silicon carbide grit for use on hard materials. Highly adaptable to contours and shapes. Can be used wet or dry

### Applications:

Sanding off coatings and impurities. Sanding out unevenness at the edges of repaired surfaces. Flattening bodyfiller and primer filler. Fine sanding primer filler, glass, composite. Keying old and new lacquers. Removing paint runs

Mfct part number	Size (mm)	Grit
8729.6054.0080	230 x 280mm	80
8729.6054.0100	230 x 280mm	100
8729.6054.0120	230 x 280mm	120
8729.6054.0150	230 x 280mm	150
8729.6054.0180	230 x 280mm	180
8729.6054.0220	230 x 280mm	220
8729.6054.0240	230 x 280mm	240
8729.6054.0280	230 x 280mm	280
8729.6054.0320	230 x 280mm	320
8729.6054.0360	230 x 280mm	360
8729.6054.0400	230 x 280mm	400
8729.6054.0500	230 x 280mm	500
8729.6054.0600	230 x 280mm	600
8729.6054.0800	230 x 280mm	800
8729.6054.1000	230 x 280mm	1000
8729.6054.1200	230 x 280mm	1200
8729.6054.1500	230 x 280mm	1500
8729.6054.2000	230 x 280mm	2000
8729.6054.2500	230 x 280mm	2500

## 1950 siaspeed S Performance Discs Paper



### For a perfect finish at full speed

The versatile all-round product 1950 siaspeed is specially designed for high stock removal rates, perfect surface quality and long life in applications such as the surface treatment of body filler, primer filler, lacquers and paints, composites

### Features:

Increased occupational health and safety due to dust free sanding. Higher productivity and process improvement. Improved cut, stock removal and overall life & performance

### Advantages:

Very high abrasive performance with a good finish. Performance-enhancing grit mix with ceramic corundum in 40 - 80 grit range. Minimal clogging thanks to open coating in 220 - 600 grit range. Extremely long lifetime leads to lower abrasive consumption. Versatile all-round product with an attractive range of options

Mfct part number	Size (mm)	Grit
1546.3150.0040	150mm	40
1546.3150.0060	150mm	60
1546.3150.0080	150mm	80
8443.7842.0100	150mm	100
8443.7842.0120	150mm	120
8443.7842.0150	150mm	150
8443.7842.0180	150mm	180
8443.7842.0220	150mm	220
8443.7842.0240	150mm	240
8443.7842.0280	150mm	280
8443.7842.0320	150mm	320
8443.7842.0400	150mm	400
8443.7842.0500	150mm	500
8443.7842.0600	150mm	600

## 1944 siaone Discs Paper 15 hole



The quality with aggressive cut and optimum lifetime. For price-conscious users for working with various materials, for example: bodyfiller, primer filler, varnish, paint and wood. Velcro type backing and an aluminium oxide open coating. Dry sanding, suitable for a broad range of application, stearate coating reduces clogging.

### Advantages:

Aggressive initial sanding thanks to optimised sanding grain. Process stability thanks to uniform scratch depths in all grits. Excellent price/performance ratio

Mfct part number	Size (mm)	Grit
7425.4595.0040	150mm	40
7425.4595.0060	150mm	60
7425.4595.0080	150mm	80
7425.4595.0120	150mm	120
7425.4595.0150	150mm	150
7425.4595.0180	150mm	180
7425.4595.0240	150mm	240
7425.4595.0320	150mm	320
7425.4595.0400	150mm	400
7425.4595.0500	150mm	500

## 7900 sianet discs



### The powerful net-backed abrasive

The special net structure of 7900 sianet enables dust-free sanding with the highest abrasive performance on all types of materials

### Advantages:

Full-surface dust extraction. High removal rate without clogging. Very efficient and productive. High tear resistance, thanks to sturdy net backing

Mfct part number	Size (mm)	Grit
6397.0967.0080	150mm	80
6397.0967.0100	150mm	100
6397.0967.0120	150mm	120
6397.0967.0180	150mm	180
6397.0967.0240	150mm	240
6397.0967.0320	150mm	320
6397.0967.0400	150mm	400



## 1815 siatop Zirconia discs



### For fast and cost-effective surface treatment of steel and non-ferrous metals

1815 siatop impresses with its high removal rate, long lifetime and very good finish in a wide range of disc and belt applications

#### Applications:

Removal of paint or rust. Weld preparation. Removing discolouration. Sanding down. Deburring

#### Advantages:

Versatile all-round product with an attractive range of options. Outstanding performance in dry sanding applications. Cost reduction thanks to long lifetime

Mfct part number	Size (mm)	Grit
4418.9881.0024	150mm	24
4418.9881.0036	150mm	36
4418.9881.0040	150mm	40
4418.9881.0050	150mm	50
4418.9881.0060	150mm	60
4418.9881.0080	150mm	80
4418.9881.0100	150mm	100
4418.9881.0120	150mm	120
4418.9881.0150	150mm	150

## 2820 siafix Quick Change Zirconium Discs



As a specialist product designed for dry sanding with high removal rates as well as excellent edge stability and tear resistance, 2820 siamet is suitable for a wide variety of jobs ranging from removal of rust or paint to welding preparation – whether on unalloyed steels or non-ferrous metals.

#### Application

Dressing of mild steel weld seams and joints in hard to reach areas or small parts

#### Advantages

Fast safe and easy discs change offered by the siafix quick change system

Mfct part number	Size (mm)	Grit
4917.8786.0040	50mm	40
4917.8786.0050	50mm	50
4917.8786.0060	50mm	60
4917.8786.0080	50mm	80
4917.8786.0120	50mm	120
4917.8786.0240	50mm	240
4917.8786.0320	50mm	320

5445.4510.0036	76mm	36
5445.4510.0040	76mm	40
5445.4510.0060	76mm	60
5445.4510.0080	76mm	80
5445.4510.0120	76mm	120
5445.4510.0180	76mm	180
5445.4510.0320	76mm	320

## 2511 siafix Quick Change Ceramic Discs



2511 siabite quick change discs are designed for mini grinders and provide maximum efficiency on high-alloy steel and other hard to grind metals thanks to the self-sharpening effect of the ceramic grit.

#### Applications:

Weld preparation. Sanding down small parts. Deburring. Smoothing and blending of flaws. Removing discolouration. Surface finishing

#### Advantages:

Less machine interruptions thanks to long lifetime. Minimal effort required thanks to highly aggressive abrasive grit. Reduced heat cutting thanks to active additive with cooling effect. More efficiency thanks to the highest performance

Mfct part number	Size (mm)	Grit
8185.7250.0040	50mm	40
0002.1244 / 8185.7250.0050	50mm	50
0002.1245 / 8185.7250.0060	50mm	60
0002.1246 / 8185.7250.0060	50mm	80
8185.7250.0120	50mm	120

0002.1247 / 8734.9195.0036	76mm	36
0002.1248 / 8734.9195.0040	76mm	40
0002.1248 / 8734.9195.0050	76mm	50
0002.1249 / 8734.9195.0060	76mm	60
0002.1250 / 8734.9195.0080	76mm	80
8734.9195.0120	76mm	120

## siafix Quick Change Backing Pads



Mfct part number	Size (mm)
0002.2210	25mm
0020.8066	50mm
0020.8069.01	76mm

## 6270 Surface Conditioning Discs



The new 6270 SCM range with high-performance blue fired aluminium oxide grain and improved low stretch scrim helps deliver longer lifetime and faster working in both discs and belts.

#### Features:

Excellent and consistent finish over a long period of time. More durable so more resistant on edges. Suitable for general use in dry and wet sanding applications. Considerably more resistant to smearing than existing products; especially at the edge of the disc when working at tight angles

#### Applications:

Deburring. Removing rust and paint. Removing discolouration. Surface finishing. Finishing to prepare for coating and electroplating

Mfct part number	Size (mm)	Grit
6335.2710.2921	50mm	Coarse A
6335.2710.4921	50mm	Medium A
6335.2710.5921	50mm	Fine A
6335.2710.6921	50mm	Very Fine A


6884.4655.2921	76mm	Coarse A
6884.4655.4921	76mm	Medium A
6884.4655.5921	76mm	Fine A
6884.4655.6921	76mm	Very Fine A



Mfct part number	Size (mm)	Grit
4441.6601.2921	100x 16mm	Coarse A
4441.6601.4921	100x 16mm	Medium A
4441.6601.5921	100x 16mm	Fine A
4441.6601.6921	100x 16mm	Very Fine A

4892.0370.2921	115 x 22mm	Coarse A
4892.0370.4921	115 x 22mm	Medium A
4892.0370.5921	115 x 22mm	Fine A
4892.0370.6921	115 x 22mm	Very Fine A

## 6120 siafleece Hand Pads



For even surface finishes 6120 siafleece can be used for dry and wet sanding and impresses due to its high conformability, consistent performance over the entire lifetime, low tendency to clog, and consistently high surface quality

These high quality hand pads are an excellent performer for metal finishing and are constructed in such a way that the grit fully penetrates the whole of the non-woven fibres which gives extended life to the product and better value for money.

#### Applications:

Blending and regaining. Removing discolouration. Structuring/finishing. Cleaning of flat or contoured surfaces

Mfct part number	Size (mm)	Grit
4132.9840.2922.52	152 x 229mm	Extra Cut
4132.9840.4721.37	152 x 229mm	Med S

4132.9840.6923	152 x 229mm	General Purpose
4132.9840.6921.13	152 x 229mm	Very Fine A
4132.9840.8715.12	152 x 229mm	Ultra Fine S



# THE SOURCE FOR INDUSTRY

**PEMBROKE**  
West Wales Office

**MERTHYR TYDFIL**  
South Wales Office

**NEWBURY**  
Head Office

## HEAD OFFICE

Advantiv Limited  
Unit 9 Kingfisher Court  
Newbury  
Berkshire RG14 5SJ  
Tel: 01635 246188  
Email: [sales@advantiv.co.uk](mailto:sales@advantiv.co.uk)  
[www.advantiv.co.uk](http://www.advantiv.co.uk)

## SOUTH WALES OFFICE

Unit 9 Pant Industrial Estate,  
Merthyr Tydfil  
Mid Glamorgan  
CF48 2SR  
Tel: 01685 708708  
Email: [merthyr@advantiv.co.uk](mailto:merthyr@advantiv.co.uk)  
[www.advantiv.co.uk](http://www.advantiv.co.uk)

## WEST WALES OFFICE

8 Bridge Innovation Centre  
Pembroke Science & Technology Park  
Pembroke Dock  
Pembrokeshire SA72 6UN  
Tel: 01646 689211  
Email: [wales@advantiv.co.uk](mailto:wales@advantiv.co.uk)  
[www.advantiv.co.uk](http://www.advantiv.co.uk)

Advantiv supply a wide range of tools, MRO products, consumables and engineering services to customers nationwide. Quality brands at competitive prices.



[www.advantiv.co.uk](http://www.advantiv.co.uk)

Contact your local branch for full details on our range of products including those not listed in our catalogue.